

96. (Once amended) A method for producing a polypeptide, comprising:

- (a) culturing the recombinant host cell of claim 92 under conditions suitable to produce a polypeptide encoded by said nucleic acid molecule; and
- (b) recovering the polypeptide from the host cell culture.

104. (Once amended) The isolated nucleic acid molecule of claim 103 wherein said heterologous polynucleotide encodes a heterologous polypeptide.

112. (Once amended) A method for producing a polypeptide, comprising:

- (a) culturing the recombinant host cell of claim 108 under conditions suitable to produce a polypeptide encoded by said nucleic acid molecule; and
- (b) recovering the polypeptide from the host cell culture.

114. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (a).

115. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (b).

116. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (c).

117. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (d).

118. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (e).

119. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (a).

120. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (b).

121. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (c).

122. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (d).

123. (Once amended) The isolated nucleic acid molecule of claim 113 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (e).

125. (Once amended) The isolated nucleic acid molecule of claim 124 wherein said heterologous polynucleotide encodes a heterologous polypeptide.

133. (Once amended) A method for producing a polypeptide, comprising:  
(a) culturing the recombinant host cell of claim 129 under conditions suitable to produce a polypeptide encoded by said nucleic acid molecule; and  
(b) recovering the polypeptide from the host cell culture.

135. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (a).

136. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (b).

137. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (c).

138. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (d).

139. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 90% or more identical to the second polynucleotide (e).

140. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (a).

141. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (b).

142. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (c).

143. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (d).

144. (Once amended) The isolated nucleic acid molecule of claim 134 wherein said first polynucleotide is 95% or more identical to the second polynucleotide (e).

146. (Once amended) The isolated nucleic acid molecule of claim 145 wherein said heterologous polynucleotide encodes a heterologous polypeptide.

154. (Once amended) A method for producing a polypeptide, comprising:  
(a) culturing the recombinant host cell of claim 150 under conditions suitable to produce a polypeptide encoded by said nucleic acid molecule; and  
(b) recovering the polypeptide from the host cell culture.

157. (Once amended) The isolated nucleic acid molecule of claim 156 wherein said heterologous polynucleotide encodes a heterologous polypeptide.

165. (Once amended) A method for producing a polypeptide, comprising:  
(a) culturing the recombinant host cell of claim 161 under conditions suitable to produce a polypeptide encoded by said nucleic acid molecule; and  
(b) recovering the polypeptide from the host cell culture.

174. (Once amended) The isolated nucleic acid molecule of claim 173 wherein said heterologous polynucleotide encodes a heterologous polypeptide.

182. (Once amended) A method for producing a polypeptide, comprising:
- (a) culturing the recombinant host cell of claim 178 under conditions suitable to produce a polypeptide encoded by said nucleic acid molecule; and
  - (b) recovering the polypeptide from the host cell culture.